





# M515

## TRACK TROMMEL

# MDS M515

The M515 Track Trommel is perfect for cleaning dirty material and can handle rocks up to 800mm (32") in size. It comes complete with fold out stockpiling conveyors and is ideal for moving around the quarry and from one site to the next.

- Suitable for:**
- Overburden
  - Sticky/Dirty Clay
  - Rip-Rap/Armour Rock
  - Steel Slag
  - Limestone
  - Primary Screening
  - Demolition/Concrete
  - Blasted Rocks



## TECHNICAL SPECIFICATION DIMENSIONS

### MACHINE SPECIFICATIONS


WEIGHT: 48 tons  
 DRUM DIAMETER: 1.5m (4ft 11")  
 DRUM LENGTH: 5.5m (18ft 1")  
 NUMBER OF OUTPUTS: 3 off  
 MAX ROCK SIZE: 800mm (32")

APPROX TONS PER HOUR: 350 to 500  
 ENGINE: 96kW (128.7HP) Cat 4.4  
 TRANSPORT LENGTH: 17,047mm (55' 11")  
 TRANSPORT WIDTH: 2980mm (9'9"), 3179mm (10' 5") with Grid  
 TRANSPORT HEIGHT: 3497m (11'6"), 3735mm (12' 3") with Grid

#### Working Dimensions








#### Transport Dimensions





# MDS TROMMEL RANGE

MODEL		TONS PER HOUR	DRUM DIAMETER /LENGTH	MAX FEED SIZE	NUMBER OF OUTPUTS	SCREEN OPENINGS	HOPPER CAPACITY	FEED MECHANISM	ENGINE AND CONTROLS
	Mobile track machine for use with primary blast, dirty material or rip rap.	250 to 300 tons	1.25m (4ft 1")/ 4m (13ft 1")	600mm (24")	2 off	25mm to 150mm (1" to 6")	12 tons or 4m³	Hydraulic Push Feeder	Cat 2.2 Tier 4 Stage 5 Dual Cert
M412 TROMMEL									
	A large heavy duty static rock trommel ideal for cleaning dirty rock or screening blasted material.	250 to 300 tons	1.25m (4ft 1")/ 4m (13ft 1")	600mm (24")	3 off	Fines up to 150mm (6") Mid Product up to 300mm (12")	12 tons or 4m³	Hydraulic Push Feeder	Cat 2.2 Tier 4 Stage 5 Dual Cert
M413 TROMMEL									
	Mobile track machine for use with primary blast, dirty material or rip rap.	Up to 500 tons	1.5m (4ft 11")/ 4m (16ft 5")	800mm (32")	3 off	Fines up to 200mm (8") Mid Product up to 460mm (18")	20 tons or 12.6m³	Hydraulic Push Feeder	Cat 4.4/ Electronic Control System
M515 TROMMEL									
	Compact track trommel designed for use in various applications.	Application Specific	1.8m (5ft 11")/ 5m (16ft 5")	-	2 off	5mm to 50mm (0.2" to 2")	5m³	Hydraulic Push Feeder	Cat 2.2/ Electronic Control System
M518R TROMMEL									
	Recycling trommel ideal for screening heavy materials.	800 tons	2m (6ft 6")/ 7m (22ft 11")	800mm (32")	2-4 off	Up to 800mm (32")	15 tons approx	Apron Feeder	Electric/ Control System
M720R TROMMEL									